





Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bamboo Double 239	2	239	300	245	52	119	1	78-87	52-61	26-35	32	82	107	128	437	1,95	2,75	0,22	0,01	390X274X87
	2	239	400	345	52	119	1	78-87	52-61	26-35	43	112	145	175	595	2,40	3,28	0,25	0,02	490X274X87
	2	239	500	445	52	119	1	78-87	52-61	26-35	55	143	186	223	760	2,85	3,81	0,28	0,02	590X274X87
	2	239	600	545	52	119	1	78-87	52-61	26-35	68	175	228	273	933	3,30	4,35	0,30	0,02	690X274X87
	2	239	700	645	52	119	1	78-87	52-61	26-35	77	200	260	312	1064	3,76	4,88	0,33	0,02	790X274X87
	2	239	800	745	52	119	1	78-87	52-61	26-35	87	224	291	349	1190	4,21	5,41	0,36	0,03	890X274X87
	2	239	900	845	52	119	1	78-87	52-61	26-35	95	246	320	384	1310	4,66	5,94	0,39	0,03	990X274X87
	2	239	1000	945	52	119	1	78-87	52-61	26-35	104	268	348	418	1424	5,11	6,46	0,42	0,03	1090X274X87
	2	239	1200	1145	52	119	1	78-87	52-61	26-35	119	307	400	480	1635	6,02	7,54	0,48	0,04	1290X274X87
	2	239	1400	1345	52	119	1	78-87	52-61	26-35	137	353	459	551	1878	6,93	8,61	0,53	0,04	1490X274X87
	2	239	1600	1545	52	119	1	78-87	52-61	26-35	157	405	527	632	2156	7,82	9,66	0,59	0,05	1690X274X87
	2	239	1800	1745	52	119	1	78-87	52-61	26-35	180	465	605	726	2475	8,73	10,74	0,65	0,05	1890X274X87

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bamboo Double 359	3	359	300	245	52	119	1	78-87	52-61	26-35	48	123	160	192	655	2,92	3,83	0,33	0,02	390X394X87
	3	359	400	345	52	119	1	78-87	52-61	26-35	65	168	218	262	893	3,60	4,61	0,37	0,02	490X394X87
	3	359	500	445	52	119	1	78-87	52-61	26-35	83	214	279	334	1140	4,27	5,37	0,41	0,03	590X394X87
	3	359	600	545	52	119	1	78-87	52-61	26-35	102	263	342	410	1399	4,95	6,16	0,45	0,03	690X394X87
	3	359	700	645	52	119	1	78-87	52-61	26-35	116	300	390	468	1597	5,63	6,95	0,50	0,03	790X394X87
	3	359	800	745	52	119	1	78-87	52-61	26-35	130	336	436	524	1785	6,31	7,72	0,54	0,04	890X394X87
	3	359	900	845	52	119	1	78-87	52-61	26-35	143	369	480	576	1965	6,99	8,51	0,58	0,04	990X394X87
	3	359	1000	945	52	119	1	78-87	52-61	26-35	155	402	522	626	2136	7,67	9,29	0,63	0,04	1090X394X87
	3	359	1200	1145	52	119	1	78-87	52-61	26-35	178	461	599	719	2453	9,03	10,86	0,71	0,05	1290X394X87
	3	359	1400	1345	52	119	1	78-87	52-61	26-35	205	529	688	826	2816	10,39	12,43	0,80	0,06	1490X394X87
Bamboo Double 479	4	479	300	245	52	119	1	78-87	52-61	26-35	64	164	213	256	873	3,89	4,90	0,43	0,02	390X514X87
	4	479	400	345	52	119	1	78-87	52-61	26-35	87	224	291	349	1190	4,79	5,93	0,49	0,03	490X514X87
	4	479	500	445	52	119	1	78-87	52-61	26-35	111	286	372	446	1521	5,70	6,95	0,55	0,03	590X514X87
	4	479	600	545	52	119	1	78-87	52-61	26-35	136	351	456	547	1865	6,60	7,98	0,61	0,04	690X514X87
	4	479	700	645	52	119	1	78-87	52-61	26-35	155	400	520	624	2129	7,51	9,02	0,66	0,04	790X514X87
	4	479	800	745	52	119	1	78-87	52-61	26-35	173	447	582	698	2380	8,42	10,05	0,72	0,04	890X514X87
	4	479	900	845	52	119	1	78-87	52-61	26-35	191	493	640	768	2620	9,32	11,08	0,78	0,05	990X514X87
	4	479	1000	945	52	119	1	78-87	52-61	26-35	207	535	696	835	2848	10,23	12,10	0,83	0,05	1090X514X87
	4	479	1200	1145	52	119	1	78-87	52-61	26-35	238	615	799	959	3270	12,04	14,17	0,95	0,06	1290X514X87
	4	479	1400	1345	52	119	1	78-87	52-61	26-35	273	706	918	1101	3755	13,85	16,23	1,06	0,07	1490X514X87
Bamboo Double 599	5	599	300	245	52	119	1	78-87	52-61	26-35	79	205	267	320	1092	4,86	5,98	0,54	0,03	390X634X87
	5	599	400	345	52	119	1	78-87	52-61	26-35	108	280	364	436	1488	5,99	7,26	0,61	0,03	490X634X87
	5	599	500	445	52	119	1	78-87	52-61	26-35	138	357	465	557	1901	7,12	8,52	0,68	0,04	590X634X87
	5	599	600	545	52	119	1	78-87	52-61	26-35	170	438	570	684	2331	8,25	9,81	0,76	0,04	690X634X87
	5	599	700	645	52	119	1	78-87	52-61	26-35	194	500	650	780	2661	9,39	11,10	0,83	0,05	790X634X87
	5	599	800	745	52	119	1	78-87	52-61	26-35	216	559	727	873	2976	10,52	12,37	0,90	0,05	890X634X87
	5	599	900	845	52	119	1	78-87	52-61	26-35	238	616	800	960	3275	11,65	13,65	0,97	0,06	990X634X87
	5	599	1000	945	52	119	1	78-87	52-61	26-35	259	669	870	1044	3561	12,78	14,91	1,04	0,07	1090X634X87
	5	599	1200	1145	52	119	1	78-87	52-61	26-35	297	768	999	1199	4088	15,05	17,48	1,18	0,08	1290X634X87
	5	599	1400	1345	52	119	1	78-87	52-61	26-35	341	882	1147	1376	4694	17,31	20,03	1,33	0,09	1490X634X87
Bamboo Double 719	6	719	300	245	52	119	1	78-87	52-61	26-35	95	246	320	384	1310	5,82	7,22	0,65	0,03	390X754X87
	6	719	400	345	52	119	1	78-87	52-61	26-35	130	336	436	524	1785	7,18	8,73	0,73	0,04	490X754X87
	6	719	500	445	52	119	1	78-87	52-61	26-35	166	429	557	669	2281	8,54	10,26	0,82	0,04	590X754X87
	6	719	600	545	52	119	1	78-87	52-61	26-35	204	526	684	820	2798	9,89	11,78	0,91	0,05	690X754X87
	6	719	700	645	52	119	1	78-87	52-61	26-35	232	600	780	936	3193	11,25	13,31	0,99	0,06	790X754X87
	6	719	800	745	52	119	1	78-87	52-61	26-35	260	671	873	1047	3571	12,61	14,84	1,08	0,06	890X754X87
	6	719	900	845	52	119	1	78-87	52-61	26-35	286	739	960	1153	3930	13,97	16,36	1,16	0,07	990X754X87
	6	719	1000	945	52	119	1	78-87	52-61	26-35	311	803	1044	1253	4273	15,33	17,89	1,25	0,08	1090X754X87
	6	719	1200	1145	52	119	1	78-87	52-61	26-35	357	922	1199	1439	4906	18,04	20,94	1,42	0,09	1290X754X87
	6	719	1400	1345	52	119	1	78-87	52-61	26-35	410	1059	1376	1652	5633	20,76	23,99	1,59	0,10	1490X754X87
Bamboo Double 839	7	839	300	245	52	119	1	78-87	52-61	26-35	111	287	374	448	1528	6,79	8,30	0,76	0,03	390X874X87
	7	839	400	345	52	119	1	78-87	52-61	26-35	152	392	509	611	2083	8,38	10,06	0,86	0,04	490X874X87
	7	839	500	445	52	119	1	78-87	52-61	26-35	194	500	650	780	2661	9,96	11,83	0,96	0,05	590X874X87
	7	839	600	545	52	119	1	78-87	52-61	26-35	237	614	798	957	3264	11,54	13,61	1,06	0,06	690X874X87
	7	839	700	645	52	119	1	78-87	52-61	26-35	271	700	910	1093	3726	13,13	15,38	1,16	0,07	790X874X87
	7	839	800	745	52	119	1	78-87	52-61	26-35	303	783	1018	1222	4166	14,71	17,15	1,26	0,07	890X874X87
	7	839	900	845	52	119	1	78-87	52-61	26-35	334	862	1121	1345	4585	16,30	18,94	1,36	0,08	990X874X87
	7	839	1000	945	52	119	1	78-87	52-61	26-35	363	937	1218	1462	4985	17,88	20,69	1,46	0,09	1090X874X87
	7	839	1200	1145	52	119	1	78-87	52-61	26-35	416	1076	1399	1678	5723	21,05	24,25	1,66	0,10	1290X874X87
	7	839	1400	1345	52	119	1	78-87	52-61	26-35	478	1235	1606	1927	6571	24,22	27,79	1,86	0,12	1490X874X87
Bamboo Double 839	7	839	1600	1545	52	119	1	78-87	52-61	26-35	549	1418	1844	2213	7545	27,35	31,29	2,06	0,13	1690X874X87
	7	839	1800	1745	52	119	1	78-87	52-61	26-35	630	1628	2117	2540	8663	30,52	34,84	2,26	0,15	1890X874X87

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bamboo Double 959	8	959	300	245	52	119	1	78-87	52-61	26-35	127	328	427	512	1747	7,76	9,37	0,86	0,04	390X994X87
	8	959	400	345	52	119	1	78-87	52-61	26-35	173	447	582	698	2380	9,57	11,38	0,98	0,05	490X994X87
	8	959	500	445	52	119	1	78-87	52-61	26-35	221	572	743	892	3041	11,38	13,40	1,09	0,06	590X994X87
	8	959	600	545	52	119	1	78-87	52-61	26-35	271	701	912	1094	3730	13,20	15,44	1,21	0,06	690X994X87
	8	959	700	645	52	119	1	78-87	52-61	26-35	310	800	1041	1249	4258	15,01	17,46	1,32	0,07	790X994X87
	8	959	800	745	52	119	1	78-87	52-61	26-35	346	895	1163	1396	4761	16,82	19,48	1,43	0,08	890X994X87
	8	959	900	845	52	119	1	78-87	52-61	26-35	381	985	1281	1537	5240	18,63	21,49	1,55	0,09	990X994X87
	8	959	1000	945	52	119	1	78-87	52-61	26-35	414	1071	1392	1671	5697	20,44	23,52	1,66	0,10	1090X994X87
	8	959	1200	1145	52	119	1	78-87	52-61	26-35	476	1230	1598	1918	6541	24,06	27,56	1,89	0,12	1290X994X87
	8	959	1400	1345	52	119	1	78-87	52-61	26-35	546	1412	1835	2202	7510	27,69	31,61	2,12	0,13	1490X994X87
Bamboo Double 1079	8	959	1600	1545	52	119	1	78-87	52-61	26-35	627	1621	2107	2529	8623	31,26	35,59	2,35	0,15	1690X994X87
	8	959	1800	1745	52	119	1	78-87	52-61	26-35	720	1861	2419	2903	9900	34,88	39,63	2,58	0,17	1890X994X87
	9	1079	300	245	52	119	1	78-87	52-61	26-35	143	369	480	576	1965	8,73	10,45	0,97	0,04	390X1114X87
	9	1079	400	345	52	119	1	78-87	52-61	26-35	195	503	654	785	2678	10,77	12,71	1,10	0,05	490X1114X87
	9	1079	500	445	52	119	1	78-87	52-61	26-35	249	643	836	1003	3421	12,81	14,99	1,23	0,06	590X1114X87
	9	1079	600	545	52	119	1	78-87	52-61	26-35	305	789	1026	1231	4196	14,85	17,24	1,36	0,07	690X1114X87
	9	1079	700	645	52	119	1	78-87	52-61	26-35	348	900	1171	1405	4790	16,88	19,53	1,48	0,08	790X1114X87
	9	1079	800	745	52	119	1	78-87	52-61	26-35	390	1007	1309	1571	5356	18,92	21,80	1,61	0,09	890X1114X87
	9	1079	900	845	52	119	1	78-87	52-61	26-35	429	1108	1441	1729	5895	20,96	24,06	1,74	0,10	990X1114X87
	9	1079	1000	945	52	119	1	78-87	52-61	26-35	466	1205	1566	1879	6409	23,00	26,33	1,87	0,11	1090X1114X87
Bamboo Double 1199	9	1079	1200	1145	52	119	1	78-87	52-61	26-35	535	1383	1798	2158	7359	27,07	30,87	2,13	0,13	1290X1114X87
	9	1079	1400	1345	52	119	1	78-87	52-61	26-35	615	1588	2065	2478	8449	31,15	35,41	2,39	0,15	1490X1114X87
	9	1079	1600	1545	52	119	1	78-87	52-61	26-35	706	1824	2371	2845	9701	35,16	39,88	2,64	0,17	1690X1114X87
	9	1079	1800	1745	52	119	1	78-87	52-61	26-35	810	2094	2722	3266	11138	39,24	44,41	2,90	0,19	1890X1114X87
	10	1199	300	245	52	119	1	78-87	52-61	26-35	159	410	534	640	2183	9,70	11,53	1,08	0,05	390X1234X87
	10	1199	400	345	52	119	1	78-87	52-61	26-35	216	559	727	873	2976	11,97	14,05	1,22	0,06	490X1234X87
	10	1199	500	445	52	119	1	78-87	52-61	26-35	277	715	929	1115	3802	14,23	16,56	1,36	0,07	590X1234X87
	10	1199	600	545	52	119	1	78-87	52-61	26-35	339	877	1139	1367	4663	16,50	19,08	1,51	0,08	690X1234X87
	10	1199	700	645	52	119	1	78-87	52-61	26-35	387	1000	1301	1561	5322	18,76	21,60	1,65	0,09	790X1234X87
	10	1199	800	745	52	119	1	78-87	52-61	26-35	433	1119	1454	1745	5951	21,02	24,12	1,79	0,10	890X1234X87
Bamboo Double 1319	10	1199	900	845	52	119	1	78-87	52-61	26-35	477	1231	1601	1921	6550	23,29	26,63	1,93	0,11	990X1234X87
	10	1199	1000	945	52	119	1	78-87	52-61	26-35	518	1339	1740	2088	7121	25,55	29,14	2,08	0,12	1090X1234X87
	10	1199	1200	1145	52	119	1	78-87	52-61	26-35	595	1537	1998	2398	8176	30,08	34,18	2,36	0,14	1290X1234X87
	10	1199	1400	1345	52	119	1	78-87	52-61	26-35	683	1765	2294	2753	9388	34,61	39,21	2,65	0,16	1490X1234X87
	10	1199	1600	1545	52	119	1	78-87	52-61	26-35	784	2026	2634	3161	10778	39,07	44,18	2,94	0,19	1690X1234X87
	10	1199	1800	1745	52	119	1	78-87	52-61	26-35	900	2326	3024	3629	12375	43,59	49,20	3,22	0,21	1890X1234X87
	11	1319	300	245	52	119	1	78-87	52-61	26-35	175	452	587	704						

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bamboo Double 1679	14	1679	300	245	52	119	1	78-87	52-61	26-35	222	575	747	896	3057	13,58	15,84	1,51	0,06	390X1714X87
	14	1679	400	345	52	119	1	78-87	52-61	26-35	303	783	1018	1222	4166	16,75	19,34	1,71	0,08	490X1714X87
	14	1679	500	445	52	119	1	78-87	52-61	26-35	387	1000	1301	1561	5322	19,92	22,85	1,91	0,09	590X1714X87
	14	1679	600	545	52	119	1	78-87	52-61	26-35	475	1227	1595	1914	6528	23,09	26,36	2,11	0,11	690X1714X87
	14	1679	700	645	52	119	1	78-87	52-61	26-35	542	1401	1821	2185	7451	26,26	29,87	2,31	0,12	790X1714X87
	14	1679	800	745	52	119	1	78-87	52-61	26-35	606	1566	2036	2443	8332	29,43	33,37	2,51	0,14	890X1714X87
	14	1679	900	845	52	119	1	78-87	52-61	26-35	667	1724	2241	2689	9171	32,60	36,89	2,71	0,15	990X1714X87
	14	1679	1000	945	52	119	1	78-87	52-61	26-35	725	1874	2436	2924	9970	35,77	40,40	2,91	0,17	1090X1714X87
	14	1679	1200	1145	52	119	1	78-87	52-61	26-35	833	2152	2797	3357	11447	42,10	47,41	3,31	0,20	1290X1714X87
	14	1679	1400	1345	52	119	1	78-87	52-61	26-35	956	2471	3212	3854	13143	48,44	54,43	3,71	0,23	1490X1714X87
Bamboo Double 1799	15	1799	300	245	52	119	1	78-87	52-61	26-35	238	616	800	960	3275	14,55	16,90	1,61	0,07	390X1834X87
	15	1799	400	345	52	119	1	78-87	52-61	26-35	325	839	1091	1309	4463	17,95	20,68	1,83	0,08	490X1834X87
	15	1799	500	445	52	119	1	78-87	52-61	26-35	415	1072	1394	1672	5702	21,34	24,42	2,04	0,10	590X1834X87
	15	1799	600	545	52	119	1	78-87	52-61	26-35	509	1315	1709	2051	6994	24,74	28,18	2,26	0,12	690X1834X87
	15	1799	700	645	52	119	1	78-87	52-61	26-35	581	1501	1951	2341	7983	28,13	31,94	2,47	0,13	790X1834X87
	15	1799	800	745	52	119	1	78-87	52-61	26-35	649	1678	2182	2618	8927	31,53	35,69	2,69	0,15	890X1834X87
	15	1799	900	845	52	119	1	78-87	52-61	26-35	715	1847	2401	2881	9826	34,93	39,46	2,90	0,16	990X1834X87
	15	1799	1000	945	52	119	1	78-87	52-61	26-35	777	2008	2610	3132	10682	38,32	43,20	3,11	0,18	1090X1834X87
	15	1799	1200	1145	52	119	1	78-87	52-61	26-35	892	2305	2997	3597	12264	45,11	50,73	3,54	0,21	1290X1834X87
	15	1799	1400	1345	52	119	1	78-87	52-61	26-35	1024	2647	3441	4129	14081	51,91	58,24	3,97	0,24	1490X1834X87
Bamboo Double 1919	16	1919	300	245	52	119	1	78-87	52-61	26-35	254	657	854	1025	3494	15,52	17,99	1,72	0,07	390X1954X87
	16	1919	400	345	52	119	1	78-87	52-61	26-35	346	895	1163	1396	4761	19,14	22,00	1,95	0,09	490X1954X87
	16	1919	500	445	52	119	1	78-87	52-61	26-35	443	1143	1486	1784	6083	22,77	26,01	2,18	0,11	590X1954X87
	16	1919	600	545	52	119	1	78-87	52-61	26-35	543	1402	1823	2188	7460	26,39	30,01	2,41	0,12	690X1954X87
	16	1919	700	645	52	119	1	78-87	52-61	26-35	620	1601	2081	2497	8516	30,01	34,01	2,64	0,14	790X1954X87
	16	1919	800	745	52	119	1	78-87	52-61	26-35	693	1790	2327	2792	9522	33,63	38,01	2,86	0,16	890X1954X87
	16	1919	900	845	52	119	1	78-87	52-61	26-35	762	1970	2561	3074	10481	37,26	42,02	3,09	0,17	990X1954X87
	16	1919	1000	945	52	119	1	78-87	52-61	26-35	829	2142	2784	3341	11394	40,88	45,87	3,32	0,19	1090X1954X87